

Technical Data for Full Flow Suction Filters and Strainers

Filter Number	Rated Capacity GPM	Connection		Filtering Media	Dimensions		Diff. Drop Across Filter Inches of Hg	Approx. Ship Weight
		Size	Type		Diameter	Height		
00201	5	1/2" N.P.T.	Male Fitting	100 Mesh Stainless Steel	2 15/16"	4 7/16"	.60	.6 lb.
04101	5	3/4" N.P.T.	Hex Nut	" " " "	2 15/16"	4 5/8"	.44	.7 lb.
04201	5	3/4" N.P.T.	Male Fitting	" " " "	2 15/16"	4 7/16"	.44	.6 lb.
11101	10	1" N.P.T.	Hex Nut	" " " "	2 15/16"	5 3/16"	.60	1.0 lb.
11201	10	1" N.P.T.	Male Fitting	" " " "	2 15/16"	4 15/16"	.60	.8 lb.
11301	10	1 5/16" O.D. Tube	O-Ring	" " " "	2 15/16"	4 9/16"	.62	.6 lb.
22101	20	1 1/4" N.P.T.	Hex Nut	" " " "	3 3/8"	7 11/16"	.44	1.7 lb.
22201	20	1 1/4" N.P.T.	Male Fitting	" " " "	3 3/8"	7 7/16"	.44	1.3 lb.
22301	20	1 5/8" O.D. Tube	O-Ring	" " " "	3 3/8"	7 1/16"	.46	1.3 lb.
33101	30	1 1/2" N.P.T.	Hex Nut	" " " "	3 5/8"	8 3/4"	.56	2.0 lb.
33201	30	1 1/2" N.P.T.	Male Fitting	" " " "	3 5/8"	8 7/16"	.56	1.6 lb.
33301	30	1 7/8" O.D. Tube	O-Ring	" " " "	3 5/8"	8 1/16"	.58	1.6 lb.
53101	50	1 1/2" N.P.T.	Hex Nut	" " " "	4 1/4"	9 3/4"	1.22	2.4 lb.
53201	50	1 1/2" N.P.T.	Male Fitting	" " " "	4 1/4"	9 7/16"	1.22	2.0 lb.
53301	50	1 7/8" O.D. Tube	O-Ring	" " " "	4 1/4"	9 1/16"	1.46	2.0 lb.
55101	50	2" N.P.T.	Hex Nut	" " " "	4 1/4"	9 13/16"	.56	2.7 lb.
55201	50	2" N.P.T.	Male Fitting	" " " "	4 1/4"	9 1/2"	.56	2.1 lb.
55301	50	2 3/8" O.D. Tube	O-Ring	" " " "	4 1/4"	9 1/16"	.58	2.1 lb.
66101	75	2 1/2" N.P.T.	Hex Nut	" " " "	4 13/16"	11 1/8"	.60	3.5 lb.
77101	100	3" N.P.T.	Hex Nut	" " " "	5 11/16"	12 1/4"	.60	5.0 lb.

- ◆ Differential Drop at Rated Capacity Using 225 SSU (Approx.) Petroleum Base Oil Flowing at Five Feet Per Second
- ◆ Standard Connection Types: N.P.T. Hex Nut/ N.P.T.F. Male Fitting/ O-Ring
- ◆ Standard Filtering Media Sizes Available: 30 Mesh, 60 Mesh, 100 Mesh, 200 Mesh. Special Mesh Sizes Available On Request



Manufacturers of Suction Filters, Strainers, & Return-Line Flow Diffusers

940 Anita Avenue ♦ Antioch, IL 60002 ♦ Phone: 847.838.6723 ♦ Fax: 847.838.6725 ♦ Email: domsinc@core.com ♦ Website: domsinc.com